




VPL Dual installation bracket

Item no. 83060635



Description

This Dual bracket is intended for permanent installations where two or more VPL fixtures must be physically linked together keeping the same pixel pitch. It is a useful accessory to create one single string of light using several fixtures.

This snap-on sliding bracket is manufactured in anodized aluminium for corrosion resistance. The three central holes come in different sizes for easy installation over flat surfaces like wall mounting, while the four included screws in each bracket can be attached to the existing slots in VPL fixtures, allowing tolerance for thermal expansion.

Features and benefits

- ✓ 3 holes in different sizes for mounting over flat surfaces
- ✓ Easy adjustment via four screws

Certifications & classifications



Specification

Physical	Net dimensions	60 x 9 x 38 mm
	Net dimensions inches	2.4 x 0.4 x 1.5 inches
Installation	Orientation	Any
	Rigging possibilities	Surface-mounted
	Safety features	Designed to withstand 10 times the weight of the fixture without deformation

NOTES:

Due to continuous improvements and innovations, specifications may change without notice.

LEDs' expected lifetime provided by manufacturer and obtained under manufacturer's test conditions.

Zoom range defined as a minimum beam angle to a maximum field angle.

Photometric measurements obtained with Goniometer Scan / SGM Illumination Lab 1.6.0.0.

Lumen output in pixel products is calculated.

Ordering information

Qty	Product name	Item number
	Accessories	Item number



SGM Light A/S

Headquarter [+45 70 20 74 00](tel:+4570207400)

Mail info@sgmlight.com

Website sgmlight.com