




# Mounting plate, flat - POI P-5, Q-7, i-5 Series

Item no. 83060617







## Description

Attach SGM's POI flood lights from the series P-5, Q-7, and i-5 to this mounting flange for installation in flat surfaces like wall mounting.

## Features and benefits

- ✓ 4 locking points for attaching to surfaces
- ✓ Safe adjustment to the fixture via M-10 screws

## Certifications & classifications



# Specification

|                       |                       |                         |
|-----------------------|-----------------------|-------------------------|
| <b>Physical</b>       | Color options         | Dark Gray - DB 702      |
|                       | Material              | Stainless Steel         |
|                       | Net dimensions        | 416 x 5 x 130 mm        |
|                       | Net dimensions inches | 16.4 x 0.2 x 5.1 inches |
|                       | Net weight            | 2.1 kg (4.6 lbs)        |
| <b>Included items</b> | Included items        | 4 M-10 screws           |

## NOTES:

Due to continuous improvements and innovations, specifications may change without notice.

LEDs' expected lifetime provided by manufacturer and obtained under manufacturer's test conditions.

Zoom range defined as a minimum beam angle to a maximum field angle.

Photometric measurements obtained with Goniometer Scan / SGM Illumination Lab 1.6.0.0.

Lumen output in pixel products is calculated.

## Ordering information

| Qty                  | Product name         | Item number          |
|----------------------|----------------------|----------------------|
| <input type="text"/> | <input type="text"/> | <input type="text"/> |
|                      | Accessories          | Item number          |



**SGM Light A/S**

Headquarter [+45 70 20 74 00](tel:+4570207400)

Mail [info@sgmlight.com](mailto:info@sgmlight.com)

Website [sgmlight.com](http://sgmlight.com)