




Mounting plate, flat - Small, POI P/Q/i-series

Item no. 83060616







Description

Attach SGM's POI flood lights from the series P-2, Q-2, and i-2 to this mounting flange for installation in flat surfaces like wall mounting.

Features and benefits

- ✓ 4 locking points for attaching to surfaces
- ✓ Safe adjustment to the fixture via M-10 screws

Certifications & classifications



Specification

Physical	Color options	Dark Gray - DB 702
	Material	Stainless Steel
	Net dimensions	214 x 5 x 130 mm
	Net dimensions inches	8.4 x 0.2 x 5.1 inches
	Net weight	1.2 kg (2.6 lbs)
Included items	Included items	2 M-10 screws

NOTES:

Due to continuous improvements and innovations, specifications may change without notice.

LEDs' expected lifetime provided by manufacturer and obtained under manufacturer's test conditions.

Zoom range defined as a minimum beam angle to a maximum field angle.

Photometric measurements obtained with Goniometer Scan / SGM Illumination Lab 1.6.0.0.

Lumen output in pixel products is calculated.

Ordering information

Qty	Product name	Item number
	Accessories	Item number



SGM Light A/S

Headquarter [+45 70 20 74 00](tel:+4570207400)

Mail info@sgmlight.com

Website sgmlight.com